


PRODUCT LAUNCH: SCOOPY



W Elcold
MADE IN DENMARK



NEW: SCOOPY



FEATURES

W Scandinavian design

W Long lifetime

W A modular system

We offer efficiency, innovation, and uncompromised quality while complying with applicable American freezer standards.


PERSONAL DESIGN

Melt your clients with an eye-catching design! The large surface is ideal for branding purposes. Custom-design your freezer down to minimum 20-piece order - exactly the way you want.

MADE IN DENMARK

For us, supreme quality is a matter of the entire journey of making a freezer: From reliable partnerships with every customer to short delivery time, precise communication, short response time on standard requests and follow up on current projects. For more than 60 years, we have manufactured quality freezers built upon the Danish expertise in cutting-edge technology. We are your global partner within premium cooling concepts - all the way.





A MODULAR SYSTEM


Scoopy is the top module of the freezer. It is specifically designed for use with the standard Nova freezer.

The modular combination allows us to offer both practical and environmental benefits, as it lowers shipping costs and enables the repair or replacement of individual parts, reducing the need to discard the entire freezer.


The hinge is made in one piece, making a flexible solution when accessing the ice cream.

SPECIALIZED FEATURE


The baskets designed for tubs are made with rubber brakes to prevent the tubs from rotating during the scooping process. The number of tubs varies from 4 to 12.




Scoopy 22
4 tubs layout




Scoopy 35
6 tubs layout





Scoopy 45
8 tubs layout





Scoopy 53
10 tubs layout



Scoopy 61
12 tubs layout



L



27,8 in

	SCOOPY 22	SCOOPY 35	SCOOPY 45	SCOOPY 53	SCOOPY 61
CLIMATE CLASS	7	7	7	7	7
VOLUME					
Gross Volume, cub. feet	7,7	10,9	14,1	16,6	19,2
Net Volume, cub. feet	5,2	8,6	11,2	13,2	15,3
TEMPERATURE					
Ambient temp. Range (F)	'+61 to + 95	'+61 to + 95	'+61 to + 95	'+61 to + 95	'+61 to + 95
Temperature range inside unit (F)	'+7 to -4	'+7 to -4	'+7 to -4	'+7 to -4	'+7 to -4
COOLING DATA					
Refrigerant	R290	R290	R290	R290	R290
Refrigerant amount, oz	2.62	3.29	2.94	2.8	3.64
Type of cooling	static	static	static	static	static
Type of defrost	manual	manual	manual	manual	manual
ELECTRICAL DATA					
Power	110v / 60h	110v / 60h	110v / 60h	110v / 60h	110v / 60h
Input power	228	300	337	350	352
DIMENSIONS (inches)					
Total height of Scoopy	48,3	48,3	48,3	48,3	48,3
Dimension A	30,0	43,0	52,9	60,7	71,0
Dimension B	27,3	27,3	27,3	27,3	27,3
Dimension C	34,2	34,2	34,2	34,2	34,2
Dimension D	28,1	28,1	28,1	28,1	28,1
Dimension E	23,9	36,9	46,7	54,6	64,8
Dimension F	16,0	29,0	38,8	46,7	56,9
Dimension G	21,1	21,1	21,1	21,1	21,1
Dimension H	25,0	25,0	25,0	25,0	25,0
Dimension J	15,1	15,1	15,1	15,1	15,1
Dimension L	29,4	29,4	29,4	29,4	29,4
Insulation	3,0	3,0	3,0	3,0	3,0
STANDARD					
Outer cabinet	white	white	white	white	white
Inner cabinet	painted steel	painted steel	painted steel	painted steel	painted steel
Insulation	polyurethane	polyurethane	polyurethane	polyurethane	polyurethane
Thermostat	mechanical	mechanical	mechanical	mechanical	mechanical
Castors	incl	incl	incl	incl	incl
OPTIONS					
Number of baskets for tubs	2	3	4	5	6
Number of flavours (tubs)	4	6	8	10	12
Dividers	optional	optional	optional	optional	optional
Thermometer	digital	digital	digital	digital	digital
Castors with brakes	optional	optional	optional	optional	optional
Internal light LED	pre-installed	pre-installed	pre-installed	pre-installed	pre-installed
Graphics	optional	optional	optional	optional	optional
APPROVALS					
UL / NSF	pending approval	pending approval	pending approval	pending approval	pending approval
WEIGHT lbs					
Net weight	141	169	207	222	251
Gross weight	158	189	229	247	279
SHIPPING					
20' DC container capacity	36	25	20	18	14
40' DC container capacity	104	78	65	57	48

PRELIMINARY